TCB

## **GRANT OF EQUIPMENT AUTHORIZATION**



Certification Issued Under the Authority of the **Federal Communications Commission** By:

> Intertek Testing Services NA, Inc. 70 Codman Hill Road Boxborough, MA 01719

Date of Grant: 11/22/2006 Application Dated: 11/22/2006

**Tagmaster AB Kronborgsgrand 1** SE-164 87 Kista, Sweden

Attention: Mikael Willgert , Chief Technical Officer

## NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

	FCC IDENTIFIER: M39L	<b>L</b> RXX					
	Name of Grantee: Tagmaster AB						
	Equipment Class: Part 15 Field Disturbance Sensor Notes: RFID Reader						
		Frequency	Output	Frequency	Emission		
Grant Notes	FCC Rule Parts	<u>Range (MHZ)</u>	<u>Watts</u>	<b>Tolerance</b>	Designator		
CC	15.245	2436.17 - 2464.04	255680-				

This permissive change adds mechanical and functional features as documented in the filing.

CC: This device is certified pursuant to two different Part 15 rules sections.



**TCB** 

## **GRANT OF EQUIPMENT AUTHORIZATION**



Certification Issued Under the Authority of the **Federal Communications Commission** By:

> Intertek Testing Services NA, Inc. 70 Codman Hill Road Boxborough, MA 01719

Date of Grant: 11/22/2006 Application Dated: 11/22/2006

**Tagmaster AB Kronborgsgrand 1** SE-164 87 Kista, Sweden

СС

Attention: Mikael Willgert , Chief Technical Officer

## NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

	FCC IDENTIFIER: M39L	RXX					
	Name of Grantee: $Tagma$	aster AB					
	Equipment Class: Part 15 Spread Spectrum Transmitter Notes: RFID Reader						
		Frequency	Output	Frequency	Emission		
Grant Notes	FCC Rule Parts	Range (MHZ)	<b>Watts</b>	<b>Tolerance</b>	<b>Designator</b>		
CC	15C	2402.0 - 2482.0	0.288				

Output is EIRP. This permissive change adds mechanical and functional features as documented in the filing. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be colocated or operating in conjunction with any other antenna or transmitter. End-users and installers must be provided with antenna installation and transmitter operating conditions for satisfying RF exposure compliance.

CC: This device is certified pursuant to two different Part 15 rules sections.